

Product/Process Change Notice - PCN 14_0252 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Material Report). Any issues with this PCN or requirements to qualify the change (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title: ADuM3300W/ADuM3301W Data Sheet Change

Publication Date: 17-Nov-2014

Effectivity Date: 17-Nov-2014 (the earliest date that a customer could expect to receive changed material)

		4.
Revision	I Decri	ntion:
1 (6 4 13 10 11	Descri	DUDII.

Initial Release

Description Of Change

Data Sheet Change:

Increase the minimum operating voltage from 3.0V to 3.135V.

Reason For Change

To ensure continuity of supply through improved manufacturability.

Impact of the change (positive or negative) on fit, form, function & reliability

No change to fit, form or reliability.

Devices will not be recommended for use with power supply voltages below 3.135V.

Summary of Supporting Information

Increase of lower operating voltage limit does not require additional qualification or validation.

Supporting Documents None

For questions on this PCN, please send an email to the regional contacts below or contact your local ADI sales representatives.

Americas:PCN_Americas@analog.comEurope:PCN_Europe@analog.comJapan:PCN_Japan@analog.com

Rest of Asia: PCN_ROA@analog.com

Appendix A - Affected ADI Models						
Added Parts On This Revision - Product Family / Model Number (8)						
ADUM3300 / ADUM3300WARWZ	ADUM3300 / ADUM3300WARWZ-RL	ADUM3300 / ADUM3300WBRWZ	ADUM3300 / ADUM3300WBRWZ-RL	ADUM3301 / ADUM3301WARWZ		
ADUM3301 / ADUM3301WARWZ-RL	ADUM3301 / ADUM3301WBRWZ	ADUM3301 / ADUM3301WBRWZ-RL				

Appendix B - Revision History				
Rev	Publish Date	Effectivity Date	Rev Description	
Rev	17-Nov-2014	17-Nov-2014	Initial Release	

Analog Devices, Inc.

Docld:3120 Parent Docld:3119 Layout Rev:7