PCN # 1914 DATE: February 15, 2019

EXPECTED PCN SHIP DATE: February 15, 2019



Quality Assurance 160 Rio Robles San Jose, CA 95134

www.maximintegrated.com

PROCESS CHANGE NOTICE XPRODUCT CHANGE NOTICE

MAXIM INTEGRATED HEREBY ISSUES NOTIFICATION OF CHANGE THAT MAY AFFECT THE FOLLOWING CATEGORIES:

X DESIGN	WAFER FAB	ASSEMBL	Y	TEST	X ELEC/MECH SPECS
AFFECTED PRODUCT:					
Ordering P/N: (See PN listing XLS in PCN ZIP file)					
CHANGE FROM: -			CHANGE TO: -		
MAX17225 (nanoPower Boost Regulator)					
1. DieID/DieRev (CP03A-0D/BYS6)			DieID/DieRev (CP03A-0E/CUJ2)		
Problem: Part is susceptible to increase in Iq and momentary			The new die revision eliminates the susceptibility to increase in		
in-rush current during hot-plug of input voltage > 2.5V with EN			Iq and in-rush current		
high					
2. Min Limit of EN pin VIL is 300mV			Min Limit of EN pin VIL is 250mV		
JUSTIFICATION: -					

1. This design change will eliminate the susceptibility to the Iq increase and in-rush current described above in application where the part is used to boost from higher voltage batteries with lower impedance, and the desire for the enable input high to be always on. Under these conditions if the battery is hot-plugged, the part could sustain higher Iq or momentary in-rush current with die rev. CP03A-0D/BYS6.

2. Improve yield on corner lots. There is no impact on EN pin VIL limit for units built with current die.

TRACEABILITY: Maxim Integrated maintains full traceability by device marking, packaging labels and shipment documents.

Maxim Integrated's Change Notification System is designed to keep our customer base apprised of major product, manufacturing, or facility improvements.

Nasser Ali Chaouche

Nasser AliChaouche / PCN Coordinator

For further information, please contact either of the people listed below.

Contact your local Maxim Integrated Company Representative

or

Nasser AliChaouche, PCN Coordinator 408-601-5660 / pcn.coordinator@maximintegrated.com